EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"464".cls.	USPAT	OR	OFF	2008/09/26 14:11
S1	2	"US 20050119077"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/06/20 12:59
S2	386	474/70.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/20 14:53
S3	33	474/70.ccls. and alternator	US-PGPUB; USPAT	OR	OFF	2008/06/20 14:55
S4	717	474/135.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:01
S5	44	474/135.ccls. and splin\$3	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:01
S6	12	474/170.ccls. and splin\$3	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:04
S7	2	474/182.ccls. and splin\$3	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:06
S8	15	474/166.ccls. and splin\$3	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:06
S9	23	474/903.ccls. and splin\$3	US-PGPUB; USPAT	OR	OFF	2008/06/20 15:08
S10	9	("1909500" "4509381" "4998905").PN. OR ("5275577").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:37
S11	10	("2341272" "4468210" "4473363" "4571225").PN. OR ("4913688").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:39
S12	186	(alternator near starter) and pulley	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:41
S13	28	alternator near pulley near shaft	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:44
S14	3621	(alternator or stator) and bearing and (pulley or (drive adj pulley)) and shaft and rotor	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:49

S15	603	(alternator or stator) and bearing and (pulley or (drive adj pulley)) and shaft and rotor and splin\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:50
S16	9	(alternator or stator) and bearing and (pulley or (drive adj pulley)) and shaft and rotor and splin\$3 and chamfer	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:50
S17	7	alternator and bearing and (pulley or (drive adj pulley)) and shaft and splin\$3 and chamfer	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:52
S18	33	("3004181" "3184625" "3226581" "3252025" "3714484" "4263526" "4972114" "4980595" "5021696"),PN. OR ("5270605").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 21:54
S19	556	310/263.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/21 21:56
\$20	556	310/263.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/21 21:56
S21	243	310/263.ccls. and pulley	US-PGPUB; USPAT	OR	OFF	2008/06/21 21:56
S22	9	("1909500" "4509381" "4998905" "5275577").PN. OR ("5370587").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/21 22:14
S23	220	474/199.ccls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:47
S24	259	474/902.ccls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:57
S25	210	474/903.ccls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:19
S26	314	474/117.ccls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:28
S27	55	474/118.ccls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:34

S28	58	474/181.cdls.	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:36
S29	1045	310/68b.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 10:59
S30	5	310/68b.ccls. and (drive same pulley) and rotor	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 11:00
S31	33	310/68b.ccls. and splin\$3	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 11:01
S32	36	310/91.ccls. and splin \$3	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 11:04
S3 3	30	310/52.ccls. and splin \$3	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 11:07
S34	83	regulator and ratio and (rotation near speed) and acceleration and (drive near torque)	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 14:10
S 35	14	regulator and ratio and (rotation near speed) and acceleration and (drive near torque) and traction	US-PGPUB; USPAT; JPO	OR	OFF	2008/09/09 14:11
S 36	1	"6125318".pn.	USPAT	OR	OFF	2008/09/09 14:23
\$37	24	("3871715" "4180223" "4323969" "4543633" "4579866" "4716662" "4764871" "4834466" "5050940" "5118168" "5180214" "5210690" "5371677" "5424942" "5426207" "551895"),PN. OR ("6125318").UFPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 14:23
S38	42	(pilot near control) and (road near surface) and resistance	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:08

S39	274	(engine near speed) and (velocity or speed) and (driv\$4 near resistance) and torque	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:14
S40	34	(engine near speed) and (velocity or speed) and (driv\$4 near resistance) and torque and regulator	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:14
S41	0	(engine near speed) and (velocity or speed) and (driv\$4 near resistance) and (non near zero)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:26
S42	682	(engine near speed) and (velocity or speed) and (non near zero)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:26
S4 3	126	(engine near speed) and (velocity or speed) and (non near zero) and regulator	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 15:26
S44	1	"5418400".pn.	USPAT	OR	OFF	2008/09/26 10:21
S 45	32	("1148884" "1307230" "1770468" "3270207" "4418777" "4862009" "5126582").PN. OR ("5418400").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/26 10:21
S 46	0	"384".cds. and splin \$3	USPAT	OR	OFF	2008/09/26 14:10
S47	0	"384".cds.	USPAT	OR	OFF	2008/09/26 14:10
S4 8	0	"464".cds.	USPAT	OR	OFF	2008/09/26 14:10
S49	872	"384".clas. and splin \$3	USPAT	OR	OFF	2008/09/26 14:14
S50	41	"384".clas. and splin \$3 and pulley	USPAT	OR	OFF	2008/09/26 14:14

9/27/2008 6:35:09 PM